Recombinant Signal Regulatory Protein Beta 1 (SIRPb1) Instruction Manual

SIPA283Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationMembranePredicted Molecular Mass28.9kDa

Accurate Molecular Mass 32kDa(Analysis of differences refer to the manual)

Residues & Tags Ser127~Gly356 with N-terminal His Tag

100mMNaHCO₃, 500mMNaCl, pH8.3, containing 1mM

Buffer Formulation EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and

Proclin300.

Traits Freeze-dried powder

Purity > 95% Isoelectric Point 6.0

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

SPDD VEFKSGAGTE LSVRAKPSAP
VVSGPAVRAT PEHTVSFTCE SHGFSPRDIT LKWFKNGNEL SDFQTNVDPA
GDSVSYSIHS TARVVLTRGD VHSQVICEIA HITLQGDPLR GTANLSEAIR
VPPTLEVTQQ PMRAENQANV TCQVSNFYPR GLQLTWLENG NVSRTETAST
LIENKDGTYN WMSWLLVNTC AHRDDVVLTC QVEHDGQQAV SKSYALEISA
HOKEHG

USAGE

Reconstitute in 100mM NaHCO3, 500mM NaCl (pH8.3) to a concentration of 0.1-1.0 mg/mL. Do not vortex.


STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.