

Mouse Anti-human CD19/APC-Cy7 antibody (BF00521)

BF00521

BF00521

D1 00021	
human CD19/APC-Cy7	
APC-Cy7标记 小鼠抗人 CD19单 克隆抗体	
Mouse	
Monoclonal	
?HI19a	
not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.	
90kDa	
Liquid	
IgG1	
0.01M PBS, 0.5%BSA, 0.03%Proclin300	
Store at 2-8°C, protect from light.	
<u>PubMed</u>	
In immunology, the CD3 (cluster of differentiation 3) T cell co-receptor helps to activate both the cytotoxic T cell (CD8+ naive T cells) and also T helper cells (CD4+ naive T cells). It consists of a protein complex and is composed of four distinct chains. In mammals, the complex contains a CD3γ chain, a CD3δ chain, and two CD3ε chains. These chains associate with the T-cell receptor (TCR) and the ζ-chain (zeta-chain) to generate an activation signal in T lymphocytes. The TCR, ζ-chain, and CD3 molecules together constitute the TCR complex. SWISS: P15391	

Gene ID: 930
Important Note: This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

www.sunlondbiotech.com