

## Rabbit Anti-rat IgG/Cy3 antibody

SL0293R-Cy3

|                   | $\sim 0^{1}$   |
|-------------------|--|
| Product Name:     | Rabbit Anti-rat IgG/Cy3  |
| Chinese Name:     | Cy3标记 <b>的兔抗大鼠</b> IgG   |
| Alias:            | Immunoglobulin G   |
| Organism Species: | Rabbit   |
| Clonality:        | Polyclonal   |
| React Species:    | rat  |
|                   | IF=1:100-1000  |
| Applications:     | not yet tested in other applications.  |
|                   | optimal dilutions/concentrations should be determined by the end user.                     |
| Molecular weight: | 150kDa   |
| Form:             | Lyophilized or Liquid  |
| Concentration:    | 2mg/1ml  |
| immunogen:        | Full length plasma protein:  |
| Lsotype:          | IgG  |
| Purification:     | affinity purified by Protein A   |
| Storage Buffer:   | 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.                           |
|                   | Storage: Store at –20 oC for one year. Avoid repeated freeze/thaw cycles. The              |
| Storage:          | lyophilized antibody is stable at room temperature for at least one month and for greater  |
| Storage.          | than a year when kept at -20oC. When reconstituted in sterile distilled water or diluent   |
|                   | supplied, theantibody is stable for at least two weeks at 2-4 °C.                          |
|                   | Immunoglobulin G (IgG), is one of the most abundant proteins in serum with normal          |
|                   | levels between 8-17 mg/mL in adult blood. IgG is important for our defence against         |
|                   | microorganisms and the molecules are produced by B lymphocytes as a part of our            |
|                   | adaptive immune response. The IgG molecule has two separate functions; to bind to the      |
| Product Detail:   | pathogen that elicited the response and to recruit other cells and molecules to destroy    |
|                   | the antigen. The variability of the IgG pool is generated by somatic recombination and     |
|                   | the number of specificities in an individual at a given time point is estimated to be 1011 |
|                   | variants.  |
|                   | Important Note:  |
| L                 |  |

| Т  | This product as supplied is intended for research use only, not for use in human, |
|----|---|
| tł | nerapeutic or diagnostic applications.  |
|    |   |

www.sunionobiotech.com