



Goat anti-Bovine IgG whole serum antibody

SL0326Gs

Product Name:	Goat anti-Bovine IgG whole serum
Chinese Name:	羊抗牛IgG抗血清
Alias:	immunoglobulin G; G1m marker; G2m marker; G3m marker; G4m marker; HDC; Heavy chain disease protein; Ig gamma 1 chain C region; Ig gamma 2 chain C region; Ig gamma 3 chain C region; Ig gamma 4 chain C region; IGHG 1; IGHG 2; IGHG 3; IGHG 4; IGHG1; IGHG2; IGHG3; IGHG4; Immunoglobulin heavy constant gamma 1; Immunoglobulin heavy constant gamma 2; Immunoglobulin heavy constant gamma 3; Immunoglobulin heavy constant gamma 4; MGC117419; MGC45809.
Organism Species:	Goat
Clonality:	Polyclonal
React Species:	Bovine
Applications:	WB=1:10000-50000ELISA=1:10000-100000IHC-P=1:10000-50000IHC-F=1:10000-50000 not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	160kDa
Form:	lyophilized powder
immunogen:	Bovine IgG:
Lsotype:	Whole antiserum
Purification:	unpurified
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Product Detail:	Immunoglobulin G (IgG), is one of the most abundant proteins in serum with normal levels between 8-17 mg/mL in adult blood. IgG is important for our defence against microorganisms and the molecules are produced by B lymphocytes as a part of our adaptive immune response. The IgG molecule has two separate functions; to bind to the pathogen that elicited the response and to recruit other cells and molecules to destroy the antigen. The variability of the IgG pool is generated by somatic recombination and the number of specificities in an individual at a given time point is estimated to be 1011 variants.

--	--

www.sunlongbiotech.com