

Rabbit Anti-Guinea pig IgM/PE antibody

SL0375R-PE

Dabbit Anti Guinaa nig IaM/DE
Rabbit Anti-Guinea pig IgM/PE
PE标记 的兔抗豚鼠 IgM
Immunoglobulin M.
Rabbit
Polyclonal
Guinea pig
Flow-Cyt=1:100-1000IF=1:100-1000
not yet tested in other applications.
optimal dilutions/concentrations should be determined by the end user.
900kDa
Lyophilized or Liquid
2mg/1ml
Full length plasma protein:
IgG
affinity purified by Protein A
0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage: Store at -20 oC for one year. Avoid repeated freeze/thaw cycles. The
lyophilized antibody is stable at room temperature for at least one month and for greater
than a year when kept at -20oC. When reconstituted in sterile distilled water or diluent
supplied, theantibody is stable for at least two weeks at 2-4 °C.
Immunoglobulin M (IgM) normally constitutes about 10% of serum immunoglobulins.
IgM antibody is prominent in early immune responses to most antigens and is largely
confined to plasma due to it's large size. Monomeric IgM is expressed as a membrane
bound antibody on the surface of B cells and as a pentamer when secreted by plasma
cells. Due to it's high valency IgM is more efficient than other isotypes is binding
antigens with repeating epitopes (virus particles and red blood cells) and is more
efficient than IgG in activiating the complement pathway. The gene for the mu constant
region contains four domains separated by short intervening sequences.
solution to make to sit domains separated by short intervening sequences.
Important Note:

This product as supplied is intended for research use only, not for use in human	,
therapeutic or diagnostic applications.	

