

Rabbit Anti-Mink IgG/Cy5 antibody

SL0777R-Cy5

Chinese Name: Cy5标记的兔抗水貂IgG Alias: Immunoglobulin G Organism Species: Clonality: Polyclonal React Species: Mink Flow-Cyt=1:100-1000IF=1:100-1000 Applications: not yet tested in other applications. optimal dilutions/concentrations should be determine Molecular weight: 150kDa Form: Lyophilized or Liquid Concentration: 2mg/1ml	ed by the end user.
Organism Species: Clonality: Polyclonal React Species: Mink Flow-Cyt=1:100-1000IF=1:100-1000 Applications: not yet tested in other applications. optimal dilutions/concentrations should be determine Molecular weight: 150kDa Form: Lyophilized or Liquid	ed by the end user.
Clonality: React Species: Mink Flow-Cyt=1:100-1000IF=1:100-1000 Applications: not yet tested in other applications. optimal dilutions/concentrations should be determine Molecular weight: 150kDa Form: Lyophilized or Liquid	ed by the end user.
React Species: Mink Flow-Cyt=1:100-1000IF=1:100-1000 Applications: not yet tested in other applications. optimal dilutions/concentrations should be determine Molecular weight: 150kDa Form: Lyophilized or Liquid	ed by the end user.
Flow-Cyt=1:100-1000IF=1:100-1000 not yet tested in other applications. optimal dilutions/concentrations should be determine Molecular weight: 150kDa Lyophilized or Liquid	ed by the end user.
Applications: not yet tested in other applications. optimal dilutions/concentrations should be determine Molecular weight: 150kDa Lyophilized or Liquid	ed by the end user.
optimal dilutions/concentrations should be determine Molecular weight: 150kDa Form: Lyophilized or Liquid	ed by the end user.
Molecular weight: 150kDa Form: Lyophilized or Liquid	ed by the end user.
Form: Lyophilized or Liquid	
Concentration: 2mg/1ml	
8	
immunogen: Full length plasma protein:	
Lsotype: IgG	
Purification: affinity purified by Protein A	
Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300	
Storage: Store at –20 oC for one year. Avoid repeated	
Storage: lyophilized antibody is stable at room temperature fo	
than a year when kept at -200°C. When reconstituted in sterile distilled water of	
supplied, theantibody is stable for at least two weeks	
Immunoglobulin G (IgG), is one of the most abundar	*
levels between 8-17 mg/mL in adult blood. IgG is im	1
microorganisms and the molecules are produced by I	
adaptive immune response. The IgG molecule has tw	
Product Detail: pathogen that elicited the response and to recruit other pathogen.	
the antigen. The variability of the IgG pool is general	
the number of specificities in an individual at a given	1 time point is estimated to be 1011
variants.	
Important Note:	

This product as supplied is intended for research use only, not for use in human	,
therapeutic or diagnostic applications.	

