

Rabbit Anti-ATRNL1 antibody

SL11504R

Product Name:	ATRNL1
Chinese Name:	ATRNL1蛋白抗体
Alias:	ATRN1_HUMAN; ATRNL1; Attractin-like protein 1; KIAA0534.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Human, Mouse, Rat, Chicken, Dog, Pig, Cow, Horse, Rabbit, Sheep,
Applications:	ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-
	500 (Paraffin sections need antigen repair)
	not yet tested in other applications.
	optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	147kDa
Cellular localization:	The cell membrane
Form:	Lyophilized or Liquid
Concentration:	lmg/ml
immunogen:	KLH conjugated synthetic peptide derived from human ATRNL1:501-
	600/1379 <extracellular></extracellular>
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized
	antibody is stable at room temperature for at least one month and for greater than a year
	when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of
	antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	<u>PubMed</u>
Product Detail:	ATRNL1 is a 1,379 amino acid single-pass type I membrane protein that may play a role
	in melanocortin signaling pathways that regulate energy homeostasis. The ATRNL1
	protein contains a C-type lectin domain, a CUB domain, two EGF-like domains, six
	Kelch repeats, two laminin EGF-like domains and five PSI domains. ATRNL1 interacts
	with MC4-R in several regions known to be important in the regulation of energy
	homeostasis by melanocortins, such as the paraventricular nucleus of hypothalamus and

the dorsal motor nucleus of the vagus. The ATRNL1 gene is conserved in dog, cow, mouse, rat, chicken, zebrafish and C. elegans, exists as two alternatively spliced isoforms and maps to human chromosome 10q25.3. Strong evidence of linkage to lateonset Alzheimer disease (LOAD) is linked to chromosome 10, which implicates a wide region and at least one disease-susceptibility locus.

Function:

May play a role in melanocortin signaling pathways that regulate energy homeostasis.

Subunit:

Interacts with MC4R

Subcellular Location:

Membrane; Single-pass type I membrane protein

Similarity:

Contains 1 C-type lectin domain.

Contains 1 CUB domain.

Contains 2 EGF-like domains.

Contains 6 Kelch repeats.

Contains 2 laminin EGF-like domains.

Contains 5 PSI domains.

SWISS:

Q5VV63

Gene ID:

26033

Database links:

Entrez Gene: 26033Human

Omim: 612869Human

SwissProt: Q5VV63Human

Unigene: 501127Human

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.