

Rabbit Anti-OR5P3 antibody

SL11628R

Product Name:	OR5P3
Chinese Name:	嗅觉受体家族5亚基3抗体
Alias:	JCG1; Olfactory receptor 5P3; Olfactory receptor family 5 subfamily P member 3; Olfactory receptor OR11-94; Olfactory receptor-like protein JCG1; OR5P3; OR5P3 HUMAN.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Human, Mouse, Rat, Pig, Cow, Rabbit, Sheep,
Applications:	WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	34kDa
Cellular localization:	The cell membrane
Form:	Lyophilized or Liquid
Concentration:	1mg/ml
immunogen:	KLH conjugated synthetic peptide derived from human OR5P3:211-311/311 <extracellular></extracellular>
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	<u>PubMed</u>
Product Detail:	Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with

many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008].

Function:

Odorant receptor (Potential). May be involved in taste perception.

Subcellular Location:

Cell membrane.

Tissue Specificity:

Expressed in the tongue.

Post-translational modifications:

Belongs to the G-protein coupled receptor 1 family.

Similarity:

Belongs to the G-protein coupled receptor 1 family.

SWISS:

Q8WZ94

Gene ID:

120066

Database links:

Entrez Gene: 120066Human

SwissProt: Q8WZ94Human

Unigene: 351825Human

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.