

Rabbit Anti-DLGAP1 antibody

SL12138R

Product Name:	DLGAP1
Chinese Name:	PSD95Binding protein1抗体
Alias:	PSD95 binding protein 1; DAP 1 ALPHA; DAP 1; DAP 1 BETA; DAP-1; DAP-1-ALPHA; DAP-1-BETA; DAP1; Discs large (Drosophila) homolog associated protein 1; Discs large homolog associated protein 1; Disks large associated protein 1; Disks large associated protein 1, alpha isoform, included; Disks large associated protein 1, beta isoform, included; Disks large-associated protein 1; DLGAP 1; Dlgap1; DLGP1_HUMAN; GKAP; GKAP/SAPAP; GKPA/SAPAP; Guanylate kinase associated protein; Guanylate kinase-associated protein; hGKAP; KIAA4162; MGC88156; mKIAA4162; PSD 95/SAP90 binding protein 1; PSD-95/SAP90-binding protein 1; SAP90/PSD 95 associated protein 1; SAP90/PSD-95-associated protein 1; SAPAP1.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Human, Mouse, Rat, Dog, Pig, Cow, Horse, Rabbit, Sheep,
Applications:	ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	109kDa
Cellular localization:	The cell membrane
Form:	Lyophilized or Liquid
Concentration:	lmg/ml
immunogen:	KLH conjugated synthetic peptide derived from human SAPAP1/DLGAP1:241-360/977
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year

	when least at 2000 When reconstituted in stanile all 7.40.01M DDC 111.
	when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	
PubMed: Product Detail:	Members of the postsynaptic density-95 (PSD-95)/SAP90 family of membrane- associated guanylate kinase (MAGUK) proteins function as multimodular scaffolds that organize protein-signaling complexes at neuronal synapses. PSD-95/SAP90 binds guanylate kinase-associated protein (GKAP), also designated GK domain-binding protein, DAP-1-a, DAP-1-b, PSD-95 binding protein, PSD-95/SAP90 associated protein, or SAPAP, through the guanylate kinase domain. GKAP is expressed widely in neurons of the cortex and hippocampus and in the Purkinje and granule cells of the cerebellum. GKAP is localized specifically in the PSD of glutamatergic synapses, consistent with its direct interaction with PSD-95 family proteins. Function: Part of the postsynaptic scaffold in neuronal cells. Subunit: Interacts with guanylate kinase-like domain of DLG1, DLG2, DLG3, DLG4 and AIP1. Interacts with the PDZ domain of SHANK1, SHANK2 and SHANK3. Found in a complex with DLG4 and SHANK1, SHANK2 or SHANK3. Found in a complex with DLG4 and BEGAIN. Interacts with DYL2 and LRFN1 (By similarity). Subcellular Location: Cell membrane. Cell junction > synapse > postsynaptic cell membrane > postsynaptic density. Cell junction > synapse. Found in postsynaptic density of neuronal cells. Tissue Specificity: Expressed in brain. Similarity: Belongs to the SAPAP family. SWISS: O14490 Gene ID: 9229 Database links: Entrez Gene: 9229 Human Entrez Gene: 224997 Mouse
	Entrez Gene: 65040 Rat
	Entrez Gene: 65040 Rat

Omim: 605445 Human

SwissProt: O14490 Human

SwissProt: Q9D415 Mouse

SwissProt: P97836 Rat

Unigene: 654793 Human

Unigene: 311840 Mouse

Unigene: 367369 Mouse

Unigene: 90059 Rat

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.