

## Rabbit Anti-DZIP3 antibody

SL12191R

Product Name:	DZIP3
Chinese Name:	RNA结合Ubiquitin连接酶DZIP3抗体
Alias:	DAZ-interacting protein 3; DAZ interacting protein 3, zinc finger; E3 ubiquitin-protein ligase DZIP3; hRUL138; KIAA0675; UURF2; RNA-binding ubiquitin ligase of 138 kDa; DZIP3 HUMAN.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Human,Mouse,Rat,Dog,Cow,Horse,Rabbit,
Applications:	ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100- 500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	139kDa 🚬 💙
Cellular localization:	cytoplasmic
Form:	Lyophilized or Liquid
<b>Concentration:</b>	1mg/ml
immunogen:	KLH conjugated synthetic peptide derived from Human DZIP3:245-350/1208
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	PubMed
Product Detail:	DZIP3 is a 1,208 amino acid protein that localizes to the cytoplasm and contains one RING-type zinc finger. Expressed in a variety of tissues with highest expression in heart, skeletal muscle and kidney, DZIP3 functions as an E3 ubiquitin-protein ligase that accepts ubiquitin from an E2 ubiquitin-conjugating enzyme, thereby playing a role in signaling events throughout the cell. Multiple isoforms of DZIP3 exist due to

alternative splicing events.
<b>Function:</b> E3 Ubiquitin ligase proteins mediate ubiquitination and subsequent proteasomal degradation of target proteins. E3 ubiquitin ligases accept ubiquitin from an E2 ubiquitin-conjugating enzyme in the form of a thioester and then directly transfers the ubiquitin to targeted substrates. Able to specifically bind RNA.
Subunit: Interacts with DAZ proteins.
Subcellular Location: Cytoplasm.
<b>Tissue Specificity:</b> Widely expressed at low level. Highly expressed in skeletal muscle, kidney and heart. Expressed at low level in placenta, lung, brain, liver and pancreas.
Similarity: Contains 1 RING-type zinc finger.
SWISS: Q86Y13
Gene ID: 9666
Database links: E <u>ntrez Gene: 9666</u> Human
<u>SwissProt: Q86Y13</u> Human
<b>Important Note:</b> This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.