



## Rabbit Anti-ZNF211 antibody

SL12230R

<b>Product Name:</b>	ZNF211
<b>Chinese Name:</b>	Zinc finger protein211抗体
<b>Alias:</b>	C2H2 25; CH2H2 25; CH2H2-25; MGC131841; Zinc finger protein 211; Zinc finger protein C2H2-25; ZN211 HUMAN; ZNF-25; ZNF211; ZNF25; ZNFC25.
<b>Organism Species:</b>	Rabbit
<b>Clonality:</b>	Polyclonal
<b>React Species:</b>	Human,
<b>Applications:</b>	WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
<b>Molecular weight:</b>	64kDa
<b>Cellular localization:</b>	The nucleus
<b>Form:</b>	Lyophilized or Liquid
<b>Concentration:</b>	1mg/ml
<b>immunogen:</b>	KLH conjugated synthetic peptide derived from Human ZNF211:51-160/564
<b>Lsotype:</b>	IgG
<b>Purification:</b>	affinity purified by Protein A
<b>Storage Buffer:</b>	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
<b>Storage:</b>	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
<b>PubMed:</b>	<a href="#">PubMed</a>
<b>Product Detail:</b>	May be involved in transcriptional regulation. <b>Function:</b> May be involved in transcriptional regulation. <b>Subunit:</b>

Nucleus (Probable).

**Subcellular Location:**

Nucleus.

**Similarity:**

Belongs to the krueppel C2H2-type zinc-finger protein family.

Contains 12 C2H2-type zinc fingers.

Contains 1 KRAB domain.

**SWISS:**

Q13398

**Gene ID:**

10520

**Database links:**

[Entrez Gene: 10520](#) Human

[Omir: 601856](#) Human


[SwissProt: Q13398](#) Human

[Unigene: 590977](#) Human

**Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Picture:



Sample: 293T Cell (Human) Lysate at 40 ug

Primary: Anti-ZNF211 (SL12230R) at 1/300 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 64 kD

Observed band size: 64 kD