

Rabbit Anti-STAC2 antibody

SL13666R

Product Name:	STAC2
Chinese Name:	STAC2蛋白抗体
Alias:	24b2; 24b2/STAC2; SH3 and cysteine rich domain 2; SH3 and cysteine rich domain containing protein 2; SH3 and cysteine-rich domain-containing protein 2; SRC homology 3 and cysteine rich domain protein 2; Src homology 3 and cysteine-rich domain-containing protein 2; STAC2; STAC2 HUMAN.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Human, Mouse, Rat, Pig, Cow, Rabbit, Sheep,
Applications:	WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	45kDa
Cellular localization:	cytoplasmic
Form:	Lyophilized or Liquid
Concentration:	lmg/ml
immunogen:	KLH conjugated synthetic peptide derived from human STAC2:1-100/411
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	PubMed
Product Detail:	