



Rabbit Anti-ZSWIM6 antibody

SL16398R

Product Name:	ZSWIM6
Chinese Name:	ZSWIM6蛋白抗体
Alias:	KIAA1577; Zinc finger SWIM domain-containing protein 6; Zswim6; ZSWM6 HUMAN.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Human,Mouse,Rat,Chicken,Dog,Pig,Cow,Horse,
Applications:	ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	133kDa
Cellular localization:	cytoplasmic
Form:	Lyophilized or Liquid
Concentration:	1mg/ml
immunogen:	KLH conjugated synthetic peptide derived from human ZSWIM6:1101-1200/1215
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	PubMed
Product Detail:	ZSWIM6 (Zinc Finger SWIM-Type Containing 6) is a Protein Coding gene. Diseases associated with ZSWIM6 include Acromelic Frontonasal Dysostosis and Dysostosis. An important paralog of this gene is ZSWIM5. Similarity: Contains 1 SWIM-type zinc finger.

SWISS:
Q9HCJ5

Gene ID:
57688

Database links:

[Entrez Gene: 57688](#) Human


[SwissProt: Q9HCJ5](#) Human

[Unigene: 726338](#) Human

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Picture:



Paraformaldehyde-fixed, paraffin embedded (Mouse brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (ZSWIM6) Polyclonal Antibody,

	Unconjugated (SL16398R) at 1:500 overnight at 4°C, followed by a conjugated secondary (sp-0023) for 20 minutes and DAB staining.
--	--

www.sunlongbiotech.com