



Rabbit Anti-ZNF92 antibody

SL16429R

Product Name:	ZNF92
Chinese Name:	Zinc finger protein92抗体
Alias:	Zinc finger protein 92; ZNF92; ZNF92 HUMAN.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Human,
Applications:	WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	68kDa
Cellular localization:	The nucleus
Form:	Lyophilized or Liquid
Concentration:	1mg/ml
immunogen:	KLH conjugated synthetic peptide derived from human ZNF92:21-120/586
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	PubMed
Product Detail:	Zinc finger protein 92 (ZNF92) is a 586 amino acid member of the Krüppel C2H2-type zinc finger protein family. Localized to the nucleus, ZNF92 contains 16 C2H2-type zinc fingers and one KRAB domain through which it is thought to be involved in DNA-binding and transcriptional regulation. Three isoforms of ZNF92 exist as a result of alternative splicing events. Function:

May be involved in transcriptional regulation.

Subcellular Location:

Nucleus.

Similarity:

Belongs to the krueppel C2H2-type zinc-finger protein family.

Contains 16 C2H2-type zinc fingers.

Contains 1 KRAB domain.

SWISS:

Q03936

Gene ID:

168374

Database links:

[Entrez Gene: 168374](#) Human

[Omir: 603974](#) Human


[SwissProt: Q03936](#) Human

[Unigene: 9521](#) Human

Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Picture:



Sample:

HepG2 Cell (Human) Lysate at 40 ug

Jurkat Cell (Human) Lysate at 40 ug

Primary: Anti-ZNF92 (SL16429R) at 1/300 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 68 kD

Observed band size: 68 kD