

## Rabbit Anti-TRAF4AF1 antibody

SL16562R

Chinese Name: TRAF4相美因子1抗体   KNSTRN; C15orf23; chromosome 15 open reading frame 23; HSD11; Kinastrin; Kinetochore-localized astrin/SPAG5- binding protein; Putative TRAF4-associated factor 1; SKAP; small kinetochore associated protein; T4AF1_HUMAN; TRAF4 associated factor 1; TRAF4-associated factor 1; Traf4af1.   Organism Species: Rabbit   Clonality: Polyclonal   React Species: Human,Mouse,Rat,Dog,Pig,Horse,   ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100- 500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.   Molecular weight: 35kDa   Cellular localization: The nucleus   Form: Lyophilized or Liquid   Concentration: Img/ml   mmunogen: KLH conjugated synthetic peptide derived from human TRAF4AF1:141-240/316   Lsotype: IgG   Purification: affinity purified by Protein A   Storage Stora at -20 °C. for one year, Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.		
KNSTRN; C15orf23; chromosome 15 open reading frame 23; HSD11; Kinastrin;   Kinetochore-localized astrin-binding protein; Kinetochore-localized astrin/SPAG5- binding protein; Putative TRAF4-associated factor 1; SKAP; small kinetochore associated protein; T4AF1_HUMAN; TRAF4 associated factor 1; TRAF4-associated factor 1; Traf4af1.   Organism Species: Rabbit   Clonality: Polyclonal   React Species: Human,Mouse,Rat,Dog,Pig,Horse,   ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100- 500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.   Molecular weight: 35kDa   Cellular localization: The nucleus   Form: Lyophilized or Liquid   Concentration: Img/ml   mmunogen: KLH conjugated synthetic peptide derived from human TRAF4AF1:141-240/316   Lsotype: IgG   Purification: affinity purified by Protein A   Storage Stora at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.   PubMed: PubMed	Product Name:	TRAF4AF1
Alias:Kinetochore-localized astrin-binding protein; Kinetochore-localized astrin/SPAG5- binding protein; Putative TRAF4-associated factor 1; SKAP; small kinetochore associated protein; T4AF1_HUMAN; TRAF4 associated factor 1; TRAF4-associated factor 1; Traf4af1.Organism Species:RabitClonality:PolyclonalReact Species:Human,Mouse,Rat,Dog,Pig,Horse, ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100- 500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.Molecular weight:35kDaCellular localization:The nucleusForm:Lyophilized or LiquidConcentration:Img/mlmunogen:KLH conjugated synthetic peptide derived from human TRAF4AF1:141-240/316Lsotype:IgGPurification:affinity purified by Protein AStorageStorage anti-20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody is stable for at least two weeks at 2-4 °C.PubMed:PubMed	Chinese Name:	TRAF4相关因子1抗体
Clonality:PolyclonalReact Species:Human,Mouse,Rat,Dog,Pig,Horse,Applications:ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.Molecular weight:35kDaCellular localization:The nucleusForm:Lyophilized or LiquidConcentration:Img/mlmmunogen:KLH conjugated synthetic peptide derived from human TRAF4AF1:141-240/316Lsotype:IgGPurification:affinity purified by Protein AStorage Buffer:0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.Storage:Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.PubMed:PubMed	Alias:	Kinetochore-localized astrin-binding protein; Kinetochore-localized astrin/SPAG5- binding protein; Putative TRAF4-associated factor 1; SKAP; small kinetochore associated protein; T4AF1_HUMAN; TRAF4 associated factor 1; TRAF4-associated
React Species:Human,Mouse,Rat,Dog,Pig,Horse,Applications:ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.Molecular weight:35kDaCellular localization:The nucleusForm:Lyophilized or LiquidConcentration:Img/mlmmunogen:KLH conjugated synthetic peptide derived from human TRAF4AF1:141-240/316Lsotype:IgGPurification:affinity purified by Protein AStorage Buffer:0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.Storage:Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.PubMed:PubMed	Organism Species:	Rabbit
Applications:ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.Molecular weight:35kDaCellular localization:The nucleusForm:Lyophilized or LiquidConcentration:Img/mlmmunogen:KLH conjugated synthetic peptide derived from human TRAF4AF1:141-240/316Lsotype:IgGPurification:affinity purified by Protein AStorage Buffer:0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.Storage:Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.PubMed:PubMed	Clonality:	Polyclonal
Applications:500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.Molecular weight:35kDaCellular localization:The nucleusForm:Lyophilized or LiquidConcentration:Img/mlmmunogen:KLH conjugated synthetic peptide derived from human TRAF4AF1:141-240/316Lsotype:IgGPurification:affinity purified by Protein AStorage Buffer:0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.Storage:Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.PubMed:PubMed	React Species:	Human, Mouse, Rat, Dog, Pig, Horse,
Cellular localization: The nucleus   Form: Lyophilized or Liquid   Concentration: Img/ml   mmunogen: KLH conjugated synthetic peptide derived from human TRAF4AF1:141-240/316   Lsotype: IgG   Purification: affinity purified by Protein A   Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.   Storage: Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.   PubMed: PubMed	Applications:	500 (Paraffin sections need antigen repair) not yet tested in other applications.
Form: Lyophilized or Liquid   Concentration: 1mg/ml   mmunogen: KLH conjugated synthetic peptide derived from human TRAF4AF1:141-240/316   Lsotype: IgG   Purification: affinity purified by Protein A   Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.   Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.   PubMed: PubMed	Molecular weight:	35kDa
Concentration: 1mg/ml   mmunogen: KLH conjugated synthetic peptide derived from human TRAF4AF1:141-240/316   Lsotype: IgG   Purification: affinity purified by Protein A   Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.   Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.   PubMed: PubMed	Cellular localization:	The nucleus
mmunogen:KLH conjugated synthetic peptide derived from human TRAF4AF1:141-240/316Lsotype:IgGPurification:affinity purified by Protein AStorage Buffer:0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.PubMed:PubMed	Form:	Lyophilized or Liquid
Lsotype:IgGPurification:affinity purified by Protein AStorage Buffer:0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.Storage:Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.PubMed:PubMed	Concentration:	1mg/ml
Purification:affinity purified by Protein AStorage Buffer:0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.Storage:Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.PubMed:PubMed	immunogen:	KLH conjugated synthetic peptide derived from human TRAF4AF1:141-240/316
Storage Buffer:0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.Storage:Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.PubMed:PubMed	Lsotype:	IgG
Storage:Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.PubMed:PubMed	Purification:	affinity purified by Protein A
Storage:antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.PubMed:PubMed	Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
	Storage:	antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of
Product Detail:	PubMed:	PubMed
	Product Detail:	