

Rabbit Anti-OSAP/Ovary-specific acidic protein antibody

SL17569R

Product Name:	OSAP/Ovary-specific acidic protein
Chinese Name:	卵巢特异性酸性蛋白抗体
Alias:	Ovary specific acidic protein; OSAP; C4orf49; CD049_HUMAN; CESP 1; Chromosome 4 open reading frame 49; Corneal endothelium-specific protein 1; GS3582; HUMMR; Hypoxia up regulated mitochondrial movement regulator; MGARP; Mitochondria localized glutamic acid rich protein; OSAP; Ovary-specific acidic protein; Uncharacterized protein C4orf49.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Human, Mouse,
Applications:	WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	25kDa
Cellular localization:	The cell membrane
Form:	Lyophilized or Liquid
Concentration:	lmg/ml
immunogen:	KLH conjugated synthetic peptide derived from human OSAP/Ovary-specific acidic protein:1-100/240 <cytoplasmic></cytoplasmic>
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	PubMed

Product Detail:	
Picture:	75— 63— 48— 35— —OSAP 25— 20— 17—
	Sample: Ovary (Mouse) Lysate at 40 ug
	Primary: Anti-OSAP (SL17569R) at 1/1000 dilution
	Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
	Predicted band size: 25 kD
	Observed band size: 29 kD