


Rabbit Anti-NUDT19 antibody

SL19515R

Mias: Miochondrial; Nucleoside diphosphate-linked moiety X motif 19; nucleoside diphosphate-linked moiety X motif 19; nucleoside diphosphate-linked moiety X motif 19, mitochondrial; NUD19_HUMAN; nudix (nucleoside diphosphate linked moiety X)-type motif 19; Nudix motif 19; NUDT19; RP2. Rabbit Clonality: Polyclonal React Species: Human, WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user. Molecular weight: 41kDa Cellular localization: The nucleus Form: Lyophilized or Liquid Concentration: Img/ml mmunogen: KLH conjugated synthetic peptide derived from human NUDT19:51-150/375 Lsotype: IgG Purification: Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of		
mitochondrial; Nucleoside diphosphate-linked moiety X motif 19; nucleoside diphosphate-linked moiety X motif 19, mitochondrial; NUD19_HUMAN; nudix (nucleoside diphosphate linked moiety X)-type motif 19; Nudix motif 19; NUDT19; RP2. Porganism Species: Rabbit Clonality: Polyclonal React Species: Human, WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user. Molecular weight: Cellular localization: Form: Lyophilized or Liquid Concentration: Img/ml KLH conjugated synthetic peptide derived from human NUDT19:51-150/375 Lsotype: IgG Purification: affinity purified by Protein A Storage Buffer: Storage Buffer: Storage Turner Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Product Name:	NUDT19
diphosphate-linked moiety X motif 19, mitochondrial; NUD19_HUMAN; nudix (nucleoside diphosphate linked moiety X)-type motif 19; Nudix motif 19; NUDT19; RP2. Rabbit Clonality: Polyclonal React Species: Human, WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100- 500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user. Molecular weight: 41kDa Cellular localization: The nucleus Form: Lyophilized or Liquid Concentration: Img/ml mmunogen: KLH conjugated synthetic peptide derived from human NUDT19:51-150/375 Lsotype: IgG Purification: affinity purified by Protein A Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Chinese Name:	NUDT19蛋白抗体
Clonality: React Species: Human, WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user. Molecular weight: 41kDa Cellular localization: The nucleus Form: Lyophilized or Liquid Concentration: Img/ml KLH conjugated synthetic peptide derived from human NUDT19:51-150/375 Lsotype: IgG Purification: affinity purified by Protein A Storage Buffer: O.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Alias:	diphosphate-linked moiety X motif 19, mitochondrial; NUD19_HUMAN; nudix (nucleoside diphosphate linked moiety X)-type motif 19; Nudix motif 19; NUDT19;
React Species: Human, WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user. Molecular weight: 41kDa Cellular localization: The nucleus Form: Lyophilized or Liquid Concentration: Img/ml mmunogen: KLH conjugated synthetic peptide derived from human NUDT19:51-150/375 Lsotype: IgG Purification: affinity purified by Protein A Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Organism Species:	Rabbit
WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100- 500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user. 41kDa Cellular localization: The nucleus Form: Lyophilized or Liquid Concentration: Img/ml mmunogen: KLH conjugated synthetic peptide derived from human NUDT19:51-150/375 Lsotype: IgG Purification: affinity purified by Protein A Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Clonality:	Polyclonal
Applications: 500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user. 41kDa Cellular localization: The nucleus Form: Lyophilized or Liquid Concentration: Img/ml KLH conjugated synthetic peptide derived from human NUDT19:51-150/375 Lsotype: IgG Purification: Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	React Species:	Human,
Cellular localization: The nucleus Lyophilized or Liquid Concentration: Img/ml KLH conjugated synthetic peptide derived from human NUDT19:51-150/375 Lsotype: IgG Purification: Storage Buffer: O.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Applications:	500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications.
Concentration: Img/ml KLH conjugated synthetic peptide derived from human NUDT19:51-150/375 Lsotype: IgG Purification: Storage Buffer: O.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Molecular weight:	41kDa
Concentration: Img/ml KLH conjugated synthetic peptide derived from human NUDT19:51-150/375 Lsotype: IgG Purification: affinity purified by Protein A Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Cellular localization:	The nucleus
mmunogen: KLH conjugated synthetic peptide derived from human NUDT19:51-150/375 Lsotype: IgG Purification: affinity purified by Protein A Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Form:	Lyophilized or Liquid
Lsotype: IgG Purification: affinity purified by Protein A Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Concentration:	1mg/ml
Purification: affinity purified by Protein A Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	immunogen:	KLH conjugated synthetic peptide derived from human NUDT19:51-150/375
Storage Buffer: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol. Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Lsotype:	IgG
Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Purification:	affinity purified by Protein A
antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of	Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
antibody the antibody is stable for at least two weeks at 2-4 °C.	Storage:	antibody is stable at room temperature for at least one month and for greater than a year
PubMed: PubMed	PubMed:	<u>PubMed</u>
Product Detail:	Product Detail:	



Picture:

Sample:

K562 Cell (Human) Lysate at 30 ug

Primary: Anti- NUDT19 (SL19515R) at 1/300 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 41 kD

Observed band size: 50 kD