

Rabbit Anti-SBNO2 antibody

SL23726R

Product Name:	SBNO2
Chinese Name:	SBNO2蛋白抗体 SBNO2蛋白抗体
Alias:	FLJ00173; KIAA0963; Protein strawberry notch homolog 2; SBNO2; Sno; Stno.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Human,Mouse,Rat,Pig,Sheep,
	ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-
Applications:	500 (Paraffin sections need antigen repair)
Applications:	not yet tested in other applications.
	optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	150kDa
Cellular localization:	The nucleus
Form:	Lyophilized or Liquid
Concentration:	1mg/ml
immunogen:	KLH conjugated synthetic peptide derived from human SBNO2:1041-1140/1366
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	PubMed
	SBNO2 is a 1,366 amino acid protein that belongs to the SBNO family. Detected in
	macrophages, SBNO2 seems to have transcriptional repression activity. SBNO2 and
	ETV3 are components of the pathways that contribute to the downstream anti-
Product Detail:	inflammatory effects of IL-10. The expression of SBNO2 is regulated by IL-10 in a
	STAT3-dependent way. Existing as two alternatively spliced isoforms, the SBNO2 gene
	is conserved in chimpanzee, dog, cow, mouse, rat, chicken, zebrafish and C.elegans, and
	maps to human chromosome 19p13.3. GPx-4 and LKB1 are neighbors of SBNO2 on

	· · · · · · · · · · · · · · · · · · ·
	chromosome 19. Chromosome 19 consists of approximately 63 million bases and makes up over 2% of human genomic DNA. Key genes for eye color and hair color also map to chromosome 19. Peutz-Jeghers syndrome, spinocerebellar ataxia type 6, the stroke disorder CADASIL, hypercholesterolemia and insulin-dependent diabetes have been linked to chromosome 19.
	Function: SBNO2 appears to have transcriptional repression activity in macrophages.
	SWISS: Q9Y2G9
	Gene ID: 22904 Database links: Entrez Gene: 22904 Human SwissProt: Q9Y2G9 Human Unigene: 408708 Human
	Database links:
	Entrez Gene: 22904 Human
	SwissProt: Q9Y2G9 Human
	Unigene: 408708 Human
	Important Note: This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.
Picture:	www.

Paraformaldehyde-fixed, paraffin embedded (mouse brain tissue); Antigen retrieval
by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase
by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at
37°C for 30min; Antibody incubation with (SBNO2) Polyclonal Antibody,
Unconjugated (SL23726R) at 1:400 overnight at 4°C, followed by operating
according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.

www.sunonobiotech.