

## Rabbit Anti-Bone sialoprotein antibody

## SL2668R

Product Name:	Bone sialoprotein
Chinese Name:	骨涎蛋白抗体
Alias:	BNSP; Bone sialoprotein II; BSP; BSPII; Cell binding sialoprotein; Integrin binding sialoprotein; SPII; SIAL_HUMAN; Bone sialoprotein 2; BSP II; Cell-binding sialoprotein; Integrin-binding sialoprotein.
文献引用 Publ <mark>M</mark> ed :	Specific References(2) SL2668R has been referenced in 2 publications.  [IF=5.37]Yang, Zhenhua, et al. "Cessation of epithelial Bmp signaling switches the differentiation of crown epithelia to the root lineage in a β-catenin-dependent manner."  Molecular and Cellular Biology (2013): MCB-00456.Mouse.  PubMed:24081330  [IF=3.23]Potter AS, Potter SS (2015) Molecular Anatomy of Palate Development.
	PLoS ONE 10(7): e0132662. doi:10.1371IHC-P;Mouse.
	PubMed:26168040
Organism Species:	PubMed:26168040 Rabbit
Clonality:	PubMed:26168040  Rabbit Polyclonal
	Rabbit Polyclonal Human,Mouse,Rat,
Clonality:	PubMed:26168040  Rabbit Polyclonal
Clonality: React Species:	Rabbit Polyclonal Human,Mouse,Rat, WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications.
Clonality: React Species: Applications:	Rabbit Polyclonal Human,Mouse,Rat, WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Clonality: React Species: Applications: Molecular weight:	Rabbit Polyclonal Human,Mouse,Rat, WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user. 34kDa
Clonality: React Species: Applications: Molecular weight: Cellular localization:	Rabbit Polyclonal Human,Mouse,Rat, WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.  34kDa Secretory protein

Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	PubMed
Product Detail:	The protein encoded by this gene is a major structural protein of the bone matrix. It constitutes approximately 12% of the noncollagenous proteins in human bone and is synthesized by skeletal-associated cell types, including hypertrophic chondrocytes, osteoblasts, osteocytes, and osteoclasts. The only extraskeletal site of its synthesis is the trophoblast. This protein binds to calcium and hydroxyapatite via its acidic amino acid clusters, and mediates cell attachment through an RGD sequence that recognizes the vitronectin receptor. [provided by RefSeq, Jul 2008]  Function:  Binds tightly to hydroxyapatite. Appears to form an integral part of the mineralized matrix. Probably important to cell-matrix interaction. Promotes Arg-Gly-Asp-dependent cell attachment.  Subcellular Location: Secreted.  Post-translational modifications: N-glycosylated; glycans consist of sialylated and core-fucosylated bi-, tri- and tetraantennary chains. Sulfated on either Tyr-320 or Tyr-321 (By similarity).  SWISS: P21815  Gene ID: 3381  Database links:
	Entrez Gene: 3381Human
	Entrez Gene: 15891 Mouse
	Entrez Gene: 24477Rat
	Omim: 147563Human
	SwissProt: P21815Human
	SwissProt: Q61711Mouse

SwissProt: P13839Rat

Unigene: 518726Human

Unigene: 4987 Mouse

Unigene: 9721Rat

## **Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.