

## **Rabbit Anti-Claudin 3 antibody**

SL2788R

Claudin 3
紧密连接蛋白3抗体 <b>水</b> (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
C7orf1; Claudin3; Claudin-3; CLDN 3; CLDN3; Clostridium perfringens enterotoxin receptor 2; CPE R2; CPE receptor 2; CPETR 2; CPETR2; HRVP 1; HRVP1; Rat
ventral prostate 1 like protein; CLD3_HUMAN; CPE-receptor 2; Rat ventral prostate.1 protein homolog; RVP 1; RVP1; Ventral prostate.1 like protein; Ventral prostate.1 protein homolog.
Specific References(1) SL2788R has been referenced in 1 publications.
[IF=2.46]Pan, Li, et al. "Effects of Soybean Agglutinin on Mechanical Barrier Function
and Tight Junction Protein Expression in Intestinal Epithelial Cells from Piglets."
International Journal of Molecular Sciences 14.11 (2013): 21689-21704.Pig.
PubMed:24189218
Rabbit
Polyclonal
Human,Mouse,Rat,Dog,Pig,Cow,Sheep,
IHC-P=1:400-800IHC-F=1:400-800IF=1:100-500 (Paraffin sections need antigen
repair)
not yet tested in other applications.
optimal dilutions/concentrations should be determined by the end user.
23kDa
The cell membrane
Lyophilized or Liquid
1mg/ml
KLH conjugated synthetic peptide derived from human CLDN3:51- 150/220 <extracellular></extracellular>
IgG
affinity purified by Protein A

Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	PubMed
Product Detail:	Tight junctions represent one mode of cell-to-cell adhesion in epithelial or endothelial cell sheets, forming continuous seals around cells and serving as a physical barrier to prevent solutes and water from passing freely through the paracellular space. These junctions are comprised of sets of continuous networking strands in the outwardly facing cytoplasmic leaflet. The protein encoded by this intronless gene, a member of the claudin family, is an integral membrane protein and a component of tight junction strands. It is also a low-affinity receptor for Clostridium perfringens enterotoxin, and shares as sequence similarity with a putative apoptosis-related protein found in rat. [provided by RefSeq, Jul 2008] <b>Function:</b> Plays a major role in tight junction-specific obliteration of the intercellular space, through calcium-independent cell-adhesion activity. <b>Subunit:</b> Directly interacts with TJP1/ZO-1, TJP2/ZO-2 and TJP3/ZO-3. <b>Subcellular Location:</b> Cell junction, tight junction. Cell membrane; Multi-pass membrane protein. <b>DISEASE:</b> Note=CLDN3 is located in the Williams-Beuren syndrome (WBS) critical region. WBS results from a hemizygous deletion of several genes on chromosome 7q11.23, thought to arise as a consequence of unequal crossing over between highly homologous low- copy repeat sequences flanking the deleted region. <b>Similarity:</b> Belongs to the claudin family. <b>SWISS:</b> O15551 <b>Gene ID:</b> 1365 <b>Database links:</b> Entrez Gene: 1365 Human

Entrez Gene: 12739 Mouse

Entrez Gene: 65130 Rat

<u>Omim: 602910</u> Human

SwissProt: 015551 Human

SwissProt: Q9Z0G9 Mouse

SwissProt: Q63400 Rat

Unigene: 647023 Human

Unigene: 158662 Mouse

Unigene: 4513 Rat

ch.con Important Note: This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.