

# Rabbit Anti-ZNF570 antibody

# SL8011R

Product Name:	ZNF570
Chinese Name:	Zinc finger protein570抗体
Alias:	Zinc finger protein 570.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Human,
Applications:	WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-
	500IF=1:100-500 (Paraffin sections need antigen repair)
	not yet tested in other applications.
	optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	55,65kDa
Cellular localization:	The nucleus
Form:	Lyophilized or Liquid
Concentration:	1mg/ml
immunogen:	KLH conjugated synthetic peptide derived from human NF570:151-250/536
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	Preservative: 15mM Sodium Azide, Constituents: 1% BSA, 0.01M PBS, pH 7.4
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	<u>PubMed</u>
Product Detail:	ZNF570 belongs to the krueppel C2H2 type zinc finger protein family. It contains
	eleven C2H2 type zinc fingers and one KRAB domain. ZNF570 is a new candidate
	transcription factor.
	Subcellular Location:
	Nucleus

# Similarity:

Belongs to the krueppel C2H2-type zinc-finger protein family.

Contains 11 C2H2-type zinc fingers.

Contains 1 KRAB domain.

### **SWISS:**

Q96NI8

#### Gene ID:

148268


# **Database links:**

Entrez Gene: 148268 Human

SwissProt: Q96NI8 Human

# Important Note:

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.



#### Picture:

Sample:


MOLT-4(Human) Cell Lysate at 40 ug

Primary: Anti-ZNF570 (SL8011R) at 1/300 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 55/65 kD

Observed band size: 65 kD



Sample:


HepG2(Human) Cell Lysate at 40 ug

Primary: Anti-ZNF570 (SL8011R) at 1/300 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 55/65 kD

Observed band size: 65 kD



Sample: A431 Cell (Human) Lysate at 40 ug

Primary: Anti-ZNF570 (SL8011R) at 1/300 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 55,65 kD

Observed band size: 63 kD