


## Rabbit Anti-CCDC47 antibody

## SL8134R

- · · · · ·	GOD G 15
Product Name:	CCDC47
Chinese Name:	卷曲螺旋结构域蛋白47抗体
Alias:	CCD47_HUMAN; CCDC 47; CCDC47; Coiled coil domain containing 47; Coiled coil domain containing protein 47; Coiled-coil domain-containing protein 47; GK001; MSTP041.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Human, Mouse, Rat, Chicken, Dog, Pig, Cow, Horse, Rabbit, Sheep,
Applications:	WB=1:500-2000ELISA=1:500-1000 not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	54kDa
Cellular localization:	The cell membrane
Form:	Lyophilized or Liquid
Concentration:	lmg/ml
immunogen:	KLH conjugated synthetic peptide derived from human CCDC47:375-483/483
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	PubMed
Product Detail:	



Sample: placenta (mouse) Lysate at 40 ug


Primary: Anti- CCDC47 (SL8134R)at 1/300 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 54kD

Picture:

Observed band size: 63 kD



## Sample:

Liver(mouse) Lysate at 40 ug

Heart(mouse) Lysate at 40 ug

Primary: Anti-CCDC47 (SL8134R) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 54 kD

Observed band size: 54 kD

www.surionabiotechr.com