



Rabbit Anti-Vibrio Parahemolyticus Polar flagellin B/D antibody

SL8876R

Product Name:	Vibrio Parahemolyticus Polar flagellin B/D
Chinese Name:	副溶血性弧菌菌体鞭毛蛋白抗体
Alias:	FLAB VIBPA; Vibrio Parahemolyticus Polar flagellin B/D; flaB.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Vibrio Parahemolyticus
Applications:	WB=1:500-2000ELISA=1:500-1000IHC-P=1:400-800IHC-F=1:400-800ICC=1:100-500IF=1:100-500 (Paraffin sections need antigen repair) not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	40kDa
Form:	Lyophilized or Liquid
Concentration:	1mg/ml
immunogen:	KLH conjugated synthetic peptide derived from Vibrio Parahemolyticus Polar flagellin B/D:151-250/378
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
PubMed:	PubMed
Product Detail:	副溶血性弧菌 (Vibrio Parahemolyticus, VP) 是一种嗜盐性细菌。副溶血性弧菌食物中毒, 是进食含有该菌的食物所致, 主要来自海产品, 如墨鱼、海鱼、海虾、海蟹、海蜇, 以及含盐分较高的腌制食品, 如咸菜、腌肉等。本菌存活能力强, 在抹布和砧板上能生存1个月以上

, 海水中可存活47天。临床上以急性起病、腹痛、呕吐、腹泻及水样便为主要症状。本病多在夏秋季发生于沿海地区, 常造成集体发病。

www.sunlongbiotech.com