

# Rabbit Anti-Orai2/FITC Conjugated antibody

# SL9541R-FITC

Product Name:	Anti-Orai2/FITC
Chinese Name:	FITC标记 <b>的</b> Transmembrane proteinOrai2 <b>抗体</b>
Alias:	C7orf19; CAP binding protein complex interacting protein 2; CBCIP 2; CBCIP2; Chromosome 7 open reading frame 19; FLJ12474; FLJ14733; FLJ44818; H_NH0514P08.8; Orai 2; ORAI calcium release activated calcium modulator 2; Protein orai 2; TMEM 142B; TMEM142B; Transmembrane protein 142B.
Organism Species:	Rabbit
Clonality:	Polyclonal
React Species:	Human, Mouse, Rat, Chicken, Dog, Cow, Horse, Rabbit, Sheep,
Applications:	ICC=1:50-200IF=1:50-200 not yet tested in other applications. optimal dilutions/concentrations should be determined by the end user.
Molecular weight:	29kDa
Cellular localization:	The cell membrane
Form:	Lyophilized or Liquid
Concentration:	1mg/ml
immunogen:	KLH conjugated synthetic peptide derived from human Orai2
Lsotype:	IgG
Purification:	affinity purified by Protein A
Storage Buffer:	0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.
Storage:	Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. The lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20 °C. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.
Product Detail:	background: Orai2 is a 254 amino acid multi-pass membrane protein that belongs to the orai family of proteins. Localizing to the plasma membrane, Orai2 plays an important role in store-operated calcium (SOC) entry, a process involving Ca2+ influx and replenishment of Ca2+ stores formerly emptied through the action of inositol 1,4,5-trisphosphate production and other Ca2+ mobilizing agents. CRAC channels are responsible for medi-

ating calcium influx in T-cells and play an important role in the immune response. Orai2 specifically increases the Ca2+-selective current through coaction with the Ca2+ sensor Stim1.

#### Function:

Ca(2+) release-activated Ca(2+)-like (CRAC-like) channel subunit which mediates Ca(2+) influx and increase in Ca(2+)-selective current by synergy with the Ca(2+)sensor, STIM1.

## Subunit:

Interacts with EFCAB4B/CRACR2A.

#### **Subcellular Location:**

biotech.com Membrane; Multi-pass membrane protein.

## Similarity:

Belongs to the Orai family.

#### Database links:

Entrez Gene: 80228Human

Entrez Gene: 269717Mouse

Entrez Gene: 304592Rat

Omim: 610929Human

SwissProt: Q96SN7Human

SwissProt: Q8BH10Mouse

Unigene: 363308Human

Unigene: 308396 Mouse

Unigene: 18207Rat

# **Important Note:**

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.