Active Interleukin 1 Beta (IL1b) Instruction Manual

SBPA147Hu61

Homo sapiens (Human)

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 95% Isoelectric Point 5.9

Applications Cell culture; Activity Assays.

ACTIVITY TEST

Concentration of IL-6 Sample O.D. value Corrected (cell supernatant of A549 cells) (ng/mL) stimulated with IL-1B(1ng/mL) 61.71 1.04 0.975 stimulated with IL-1β(10ng/mL) 56.77 0.966 0.901 unstimulated 0.309 0.244 12.44

Table 1. IL-6 levels in the cell supernatant of A549 cells up-regulated by IL1-β




Figure 1. IL-6 levels in the cell supernatant of A549 cells up-regulated by IL1-β.

Interleukin-1 beta belongs to the interleukin 1 cytokine family, which plays a critical role in inflammation, immunity, antiviral responses, and a variety of diseases. It has been reported that IL-1 β -induced IL-6 production is mediated by both PI3K and IRAK4 in A549 cells. To test the bioactivity of IL-1 β , A549 cells were seeded into 24-well plate at a density of 1x105 cells/mL, and allowed to attach overnight before treated with or without certain concentrations (1ng/mL, 10ng/mL) of IL1- β for 4h and IL-6 levels in the cell supernatant were determined by ELISA.

IL-6 levels in the cell supernatant of A549 cells increased significantly after stimulated with IL1- β , the data was shown in Table 1 and Figure 1.

USAGE


Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.






Figure. Western Blot; Sample: Recombinant IL1b, Human.

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.