Active Cathepsin V (CTSV) Instruction Manual

SBPC329Hu01

Homo sapiens (Human)

Buffer Formulation20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Tillivi D11, 0.01% SKL, 5% Tiellalose aliu F

Traits Freeze-dried powder

Purity > 95% Isoelectric Point 8.8

Applications Cell culture; Activity Assays.

ACTIVITY TEST




Figure 1. The binding activity of CTSV with RB1.

Cathepsin V (CTSV) is a lysosomal cysteine proteinase which belongs to peptidase C1 family. It is expressed in normal human thymus, testis and corneal epithelium. Cathepsin V plays an important role in corneal physiology and mediates degradation of invariant chain in human thymus. Besides, Retinoblastoma Protein 1 (RB1) has been identified as an interactor of CTSV, thus a binding ELISA assay was conducted to detect the interaction of recombinant human CTSV and recombinant human RB1. Briefly, CTSV were diluted serially in PBS, with 0.01% BSA (pH 7.4). Duplicate samples of 100uL were then transferred to RB1-coated microtiter wells and incubated for 2h at 37°C. Wells were washed with PBST and incubated for 1h with anti-CTSV pAb, then aspirated and

washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed 3 times. With the addition of substrate solution, wells were incubated 15-25 minutes at 37°C. Finally, add 50μ L stop solution to the wells and read at 450nm immediately. The binding activity of CTSV and RB1 was shown in Figure 1, and this effect was in a dose dependent manner.

USAGE


Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.






Figure. Western Blot; Sample: Recombinant CTSV, Human.

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.