Active Cold Inducible RNA Binding Protein (CIRBP) Instruction Manual

SBPG278Mu01

Mus musculus (Mouse)


Buffer Formulation20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 90% Isoelectric Point 9.6

Applications Cell culture; Activity Assays.

ACTIVITY TEST



Cold-inducible RNA-binding protein (CIRBP) plays a critical role in controlling the cellular response upon confronting a variety of cellular stresses, including short wavelength ultraviolet light, hypoxia, and hypothermia. Besides, Heterogeneous Nuclear Ribonucleoprotein A1 (HNRPA1) has been identified as an interactor of CIRBP, thus a binding ELISA assay was conducted to detect the interaction of recombinant mouse CIRBP and recombinant mouse HNRPA1. Briefly, CIRBP were diluted serially in PBS, with 0.01% BSA (pH 7.4). Duplicate samples of 100µL were then transferred to HNRPA1-coated microtiter wells and incubated for 2h at 37°C. Wells were washed with PBST and incubated for 1h with anti-CIRBP pAb, then aspirated and washed 3 times. After incubation with HRP labelled secondary antibody, wells were aspirated and washed 3 times. With the addition of substrate solution, wells were incubated 15-25 minutes at

 37° C. Finally, add 50μ L stop solution to the wells and read at 450nm immediately. The binding activity of CIRBP and HNRPA1 was shown in Figure 1, and this effect was in a dose dependent manner.

Figure. The binding activity of CIRBP with HNRPA1.

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image




Figure. Western Blot

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.