

Eukaryotic Inhibin Beta A (INHbA)

Instruction Manual

SFPA191Hu61

Homo sapiens (Human)

Source	Eukaryotic expression
Host	293F cell
Endotoxin Level	<1.0EU per 1ug (determined by the LAL method)
Subcellular Location	Secreted
Predicted Molecular Mass	46.6kDa
Accurate Molecular Mass	60&46kDa(Analysis of differences refer to the manual)
Residues & Tags	Ser21~Ser426 with N-terminal His Tag
Buffer Formulation	PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 95%
Isoelectric Point	7.9
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
SPTPGSEGHS AAPDCPSCAL AALPKDVPNS
QPEMVEAVKK HILNMLHLKK RPDVTQPVPK AALLNAIRKL HVGKVGGENGY
VEIEDDIGRR AEMNELMEQT SEIITFAESG TARKTLHFEI SKEGSDLSVV
ERAEVWLFLK VPKANRTRTK VTIRLFQQQK HPQGS�DTGE EAEVGLKGE
RSELLLSEKV VDARKSTWHV FVSSSIQRL LDQKSSLDV RIACEQCQES
GASLVLLGKK KKKEEEGEGK KGGGEGGAG ADEEKEQSHR PFLMLQARQS
EDHPHRRRRR GLECDGKVNI CCKKQFFVSF KDIGWNDWII APSGYHANYC
EGECPSHIAG TSGSSLSFHS TVINHYRMRG HSPFANLKSC CVPTKLRPMS
MLYYDDGQNI IKKDIQNMIV EECGCS
```

USAGE

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.