Recombinant Hepatocyte Growth Factor (HGF) Instruction Manual

SIPA029Hu03

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass27.2kDa

Accurate Molecular Mass 27kDa(Analysis of differences refer to the manual)

Residues & Tags Val495~Ser728 with N-terminal His Tag

Buffer Formulation PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Traits Freeze-dried powder

Purity > 97% Isoelectric Point 8.8

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

				VVNGIP
TRTNIGWMVS	LRYRNKHICG	GSLIKESWVL	TARQCFPSRD	LKDYEAWLGI
HDVHGRGDEK	CKQVLNVSQL	VYGPEGSDLV	LMKLARPAVL	DDFVSTIDLP
NYGCTIPEKT	SCSVYGWGYT	GLINYDGLLR	VAHLYIMGNE	KCSQHHRGKV
TLNESEICAG	AEKIGSGPCE	GDYGGPLVCE	QHKMRMVLGV	IVPGRGCAIP
NRPGTEVRVA	YYAKWTHKTT	LTYKVPOS		

USAGE


Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.