

Recombinant Hepatocyte Growth Factor (HGF) Instruction Manual

SIPA029Rb01

Oryctolagus cuniculus (Rabbit)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Secreted
Predicted Molecular Mass	57.2kDa
Accurate Molecular Mass	57kDa(Analysis of differences refer to the manual)
Residues & Tags	Gln32~Arg494 with N-terminal His Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 95%
Isoelectric Point	7.8
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
QKKRRNTLH EFKKSAKTIL
IKEDPLLKIK TKKMNTADQC ANRCIRNKGL PFTCKAFVFD KTKKRCLWFP
FNSMSSGVKK EFGHEFDLYE NKDYIRNCII GKGGSYKGTV SITKSGIKCQ
PWSSMIPHEH SFLPSSYRGK DLQENYCRNP RGEEGPWCF TSNPEVRYEV
CDIPQCSEVE CMTCSNGESYR GPMDHTESGK ICQRWDHQTP HRHKFLPERY
PDKGFDDNYC RNPDGKPRPW CYTLDPDTPW EYCAIKMCAH SIMNDTDVPM
ETTECIQGQG EGYRGTINTI WNGIPCQRWD SQYPHQHDIT PENFKCKDLR
ENYCRNPDGA ESPWCFTTDP NIRVGYCSQI PKCDVSSGQD CYLGNGKNYM
GNLSKTRSGL TCSMWDKNME DLHRHTFWEP DASKLNKNYC RNPDDAHGP
WCYTG NPLVP WDYCPLARCE GDTTPTIVNL DHPVVSCAKT KQLR
```

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL.
Do not vortex.


STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.

