# **Recombinant Interleukin 12B** (IL12B) Instruction Manual

# SIPA037Ga01

# Chicken (Gallus)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Secreted
Predicted Molecular Mass	37.7kDa
Accurate Molecular Mass	40kDa(Analysis of differences refer to the manual)
Residues & Tags	Gln21~Arg315 with N-terminal His Tag
<b>Buffer Formulation</b>	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 95%
Isoelectric Point	7.6
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

### SEQUENCE

QWKLRENVYV IESEWNDETP AKKVKLTCDT SDEALPVYWK KGTELKGTGK TLTTEVKEFP DAGNYTCLSA KTHEIISYSF FLITKVDSNG QMIRSILKSY KEPSKTFLKC EAKNYSGIFT CSWMTENESP SVKFTIRSLK GSQGDVTCSS PVARTDKSVT EYTAQCQKEN YCPFAEEHQP TEMFLEVIDE VEYENYTSSF FIRDIIKPDP PQCQYASTNG TVTWTYPKTW STPKSYFPLT FRVKVESTKK YKSKVYDADE QSIQIPKTGP KDKISVQARD RYYNSSWSEW STLCR

#### USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at - 80°C for 12 months.

# STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




Figure. SDS-PAGE

# [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.

# Image