# Recombinant Carcinoembryonic Antigen (CEA) Instruction Manual

# SIPA092Ra01

# Rattus norvegicus (Rat)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationMembranePredicted Molecular Mass26.1kDa

Accurate Molecular Mass 31kDa(Analysis of differences refer to the manual)

**Residues & Tags** Asp209~Leu408 with N-terminal His Tag

**Buffer Formulation** PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

**Traits** Freeze-dried powder

Purity > 80% Isoelectric Point 5.1

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

#### **SEQUENCE**

DK GYYECEARNP ATFNRSDPFN LDVIYGPDAP VISPPDIYLH QGSNLNLSCH ADSNPPAQYF WLINEKLQTS SQELFISNIT TNNSGTYACF VNNTVTGLSR TTVKNITVFE PVTQPSIQIT NTTVKELGSV TLTCFSKDTG VSVRWLFNSQ SLQLTDRMTL SQDNSTLRID PIKREDAGDY QCEISNPVSF RISHPIKL

DK GYYECEARNP ATFNRSDPFN LDVIYGPDAP VISPPDIYLH
QGSNLNLSCH ADSNPPAQYF WLINEKLQTS SQELFISNIT TNNSGTYACF
VNNTVTGLSR TTVKNITVFE PVTQPSIQIT NTTVKELGSV TLTCFSKDTG
VSVRWLFNSQ SLQLTDRMTL SQDNSTLRID PIKREDAGDY QCEISNPVSF
RISHPIKL

#### **USAGE**


Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



## [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.