

Recombinant Anti-Mullerian Hormone (AMH) Instruction Manual

SIPA104Mu01

Mus musculus (Mouse)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Secreted
Predicted Molecular Mass	61.5kDa
Accurate Molecular Mass	62kDa(Analysis of differences refer to the manual)
Residues & Tags	Gln21~Arg555 with N-terminal His Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 97%
Isoelectric Point	5.5
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
QPEAVENLAT NTRGLIFLED ELWPPSSPPE
PLCLVTVRGE GNTSRASLRV VGGLNSYEYA FLEAVQESRW GPQDLATFGV
SSTD SQATLP ALQRLGAWLG ETGEQQLLV LHLAEVIWEPE LLLKFQEPPE
GGASRWEQAL LVLVSGPGPQ VTVTGTGLRG TQNLCPTRDT RYLVLTVDFP
AGAWSGFGLI LTLQPSREGA TLSIDQLQAF LFGSDSRCFT RMTPTLVVLP
PAEPSQPAH QLDTMPFPQ PGLSLEPEAL PHSADPFLET LTRLVRALRG
PLTQASNTQL ALDPGALASF PQGLVNLSDP AALGRLLDWE EPLLLLLSPT
AATEREPIRL HGPASAPWAA GLQRRVAVEL QAAASELRDL PGLPPTAPPL
LARLLALCPN DSRSSGDPLR ALLLLKALQG LRAEWHGREG RGRTRAQRGD
KGQDGPALR ELSVDLRAER SVLIPETYQA NNCQGACRWP QSDRNPRYGN
HVVLLLMQA RGAALGRLPC CVPTAYAGKL LISLSEERIS ADHVPNMVAT
ECGCR
```

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.