# **Recombinant Paraoxonase 1 (PON1) Instruction Manual**

# SIPA107Ra03

# Rattus norvegicus (Rat)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass69.2kDa

Accurate Molecular Mass 69kDa(Analysis of differences refer to the manual)

Residues & Tags 69kDa(Analysis of differences refer to the manual)

Ala2~Leu355 with N-terminal His and GST Tag

PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5%

Trehalose and Proclin300.

**Traits** Freeze-dried powder

Purity > 80% Isoelectric Point 4.9

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

# **SEQUENCE**

**Buffer Formulation** 

AKLLGLTLV GLVLALYKNH RSSYQTRLNA FREVTPVDLP NCTLVKGIEA GAEDLEILPN GLTFFSTGLK YPGIKSFDPS KPGKILLMDL NEKEPAVSEL AIMGNTLDMS SFNPHGISTF IDEDNTVYLL VVSHPDSSST VEVFKFQEEE RSLLHLKTIT HELLPSINDI AAVGPESFYA TNDHYFADPY LRSWEMYLGL SWSNVVYYSP DKVRVVADGF DFANGIGISL DGKYVYIAEL LAHKIHVYEK HANWTLTPLK VLSFDTLVDN ISVDPVTGDL WVGCHPNGMR IFFYDSENPP GSEVLRIQSI LSEDPKVTVV YAENGTVLQG TTVAAVYKGK LLIGTVFHRA LCCDL

#### **USAGE**

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

#### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## **Image**




Figure. SDS-PAGE

### [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.