Recombinant Mannose Associated Serine Protease 2 (MASP2) Instruction Manual

SIPA198Hu03

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass27.4kDa

Accurate Molecular Mass 27kDa(Analysis of differences refer to the manual)

Residues & Tags Ile445~Ile683 with N-terminal His Tag

Buffer Formulation PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5%

Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 97% Isoelectric Point 5.7

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

				IYGGQK
AKPGDFPWQV	LILGGTTAAG	ALLYDNWVLT	AAHAVYEQKH	DASALDIRMG
TLKRLSPHYT	QAWSEAVFIH	EGYTHDAGFD	NDIALIKLNN	KVVINSNITP
ICLPRKEAES	FMRTDDIGTA	SGWGLTQRGF	LARNLMYVDI	PIVDHQKCTA
AYEKPPYPRG	SVTANMLCAG	LESGGKDSCR	GDSGGALVFL	DSETERWFVG
GIVSWGSMNC	GEAGOYGVYT	KVINYIPWIE	NII	

USAGE

Reconstitute in PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.






Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.