# **Recombinant Glypican 4 (GPC4) Instruction Manual**

# SIPA208Hu01

#### Homo sapiens (Human)

Source	Prokaryotic expression			
Host	E.coli			
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)			
Subcellular Location	Membrane, Exosome			
Predicted Molecular Mass	ted Molecular Mass 30.9kDa			
Accurate Molecular Mass32kDa(Analysis of differences refer to the manual)				
Residues & Tags	Val261~Ala527 with N-terminal His Tag			
Buffer Formulation20mM Tris, 150mM NaCl, pH8.0, containing 1mM ED7 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.				
Traits	Freeze-dried powder			
Purity	> 95%			
Isoelectric Point	5.5			
Applications	Positive Control; Immunogen; SDS-PAGE; WB.			

# SEQUENCE

	VTVKPCYNYC	SNIMRGCLAN	QGDLDFEWNN	FIDAMLMVAE
RLEGPFNIES	VMDPIDVKIS	DAIMNMQDNS	VQVSQKVFQG	CGPPKPLPAG
RISRSISESA	FSARFRPHHP	EERPTTAAGT	SLDRLVTDVK	EKLKQAKKFW
SSLPSNVCND	ERMAAGNGNE	DDCWNGKGKS	RYLFAVTGNG	LANQGNNPEV
QVDTSKPDIL	ILRQIMALRV	MTSKMKNAYN	GNDVDFFDIS	DESSGEGSGS
GCEYQQCPSE	FDYNATDHAG	KSANEKA		

## USAGE


Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

## STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at - 80°C for 12 months.

#### STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



#### Image

#### [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.