

Recombinant Visfatin (VF) Instruction Manual

SIPA253Mu01

Mus musculus (Mouse)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1μg (determined by the LAL method)
Subcellular Location	Nucleus, Secreted, Cytoplasm
Predicted Molecular Mass	59.1kDa
Accurate Molecular Mass	59kDa(Analysis of differences refer to the manual)
Residues & Tags	Met1~His491 with N-terminal His Tag
Buffer Formulation	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 80%
Isoelectric Point	7.2
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

MNAAAEAEFN ILLATDSYKV THYKQYPPNT SKVYSYFECR EKKTENSKVR
KVKYEETVFY GLQYILNKYL KGKVVTKEKI QEAKEVYREH FQDDVFNERG
WNYILEKYDG HLPIEVKAVP EGSVIPRGNV LFTVENTDPE CYWLTNWIET
ILVQSWPIT VATNSREQKK ILAKYLLETS GNLDGLEYKL HDFGYRGVSS
QETAGIGASA HLVNFKGTDT VAGIALIKKY YGTKDPVPGY SVPAAEHSTI
TAWGKDHEKD AFEHIVTQFS SVPVSVVSDS YDIYNACEKI WGEDLRHLIV
SRSTEAPLII RPDGNPLDT VLKVLDILGK KFPVTENSKG YKLLPPYLRV
IQGDGVNDINT LQEIVEGMKQ KKWSIENVSF GSGGALLQKL TRDLLNCSFK
CSYVVTNGLG VNFKDPVAD PNKRSKKGRL SLH RTPAGNF VTLEEGKGDL
EEYGH DLLHT VFKNKGVTKS YSFDEVRKNA QLNIEQDVAP H

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL.
Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.

