Recombinant Neuronal Pentraxin II (NPTX2) Instruction Manual

SIPA340Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass32.6kDa

Accurate Molecular Mass 33kDa(Analysis of differences refer to the manual)

Residues & Tags Asp111~Gln367 with N-terminal His Tag

20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL,

5% Trehalose.

Traits Freeze-dried powder

Purity > 97% Isoelectric Point 6.3

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

Buffer Formulation

DTMGDLPRDP GHVVEQLSRS LQTLKDRLES LEHQLRANVS
NAGLPGDFRE VLQQRLGELE RQLLRKVAEL EDEKSLLHNE TSAHRQKTES
TLNALLQRVT ELERGNSAFK SPDAFKVSLP LRTNYLYGKI KKTLPELYAF
TICLWLRSSA SPGIGTPFSY AVPGQANEIV LIEWGNNPIE LLINDKVAQL
PLFVSDGKWH HICVTWTTRD GMWEAFQDGE KLGTGENLAP WHPIKPGGVL
ILGOEODTVG GRFDATO

USAGE

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

STORAGE


Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image

BATTER DESIGNATION AND RESPONDED TO TRANSPORTAGE TO TRANSPORT AGENCY TAKEN AND THAT THE TRIBUTE TO TRANSPORT TO BASE TAKEN AND THE BASE TAKEN AND



[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.