Recombinant Epidermal Growth Factor Receptor (EGFR) Instruction Manual

SIPA378Hu01

Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular Location Membrane, Secreted

Predicted Molecular Mass 37.6kDa

Accurate Molecular Mass 37kDa(Analysis of differences refer to the manual)

Residues & Tags Lys713~Asp984 with N-terminal His Tag

Buffer Formulation PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.

Traits Freeze-dried powder

Purity > 90% Isoelectric Point 6.7

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

	KKIKVLGS	GAFGTVYKGL	WIPEGEKVKI	PVAIKELREA
TSPKANKEIL	DEAYVMASVD	NPHVCRLLGI	CLTSTVQLIT	QLMPFGCLLD
YVREHKDNIG	SQYLLNWCVQ	IAKGMNYLED	RRLVHRDLAA	RNVLVKTPQH
VKITDFGLAK	LLGAEEKEYH	AEGGKVPIKW	MALESILHRI	YTHQSDVWSY
GVTVWELMTF	GSKPYDGIPA	SEISSILEKG	ERLPQPPICT	IDVYMIMVKC
WMTDADSRPK	FREI TTEESK	MARDPORYI V	TOGD	

USAGE

Reconstitute in ddH_2O to a concentration ≤ 0.1 mg/mL. Do not vortex.

STORAGE


Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.







[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.