# Recombinant Inhibin B (INHB) Instruction Manual

# SIPA396Hu01

## Homo sapiens (Human)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass42.2kDa

Accurate Molecular Mass 43kDa(Analysis of differences refer to the manual)

Residues & Tags Ser233~Ile366+GGGGS\*3 and Gly293~Ala407 with Two

N-terminal Tags, His-tag and SUMO-tag

**Buffer Formulation** 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL,

5% Trehalose.

**Traits** Freeze-dried powder

Purity > 95% Isoelectric Point 6.9

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

#### **SEQUENCE**

STPLMSWPWSPSALRLLQRPPEEPAAHANCHRVALNISFQELGWERWIVYPPSFIFHYCHGGCGLHIPPNLSLPVPGAPPTPAQPYSLL PGAQPCCAALPGTMRPLHVRTTSDGGYSFKYETVPNLLTQHCACIGGGGSGGGGGGGGGGGGGGGTNLCCRQQFFIDFRLIGWNDWI IAPTGYYGNYCEGSCPAYLAGVPGSASSFHTAVVNQYRMRGLNPGTVNSCCIPTKLSTMSMLYFDDEYNIVKRDVPNMIVEECGCA

#### **USAGE**

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

#### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



IGAT OSTIGAGIS DE AGI MUTURTE AGAMASTUTIA LATITAGA UTGUTGAGA TEGUTATE TOUT DE PURTE MUTURGES GASTOGO LA DE AGAGASTOGO LA TATOLA A MASTATACIA MUSATEGEO ARGO ATRONITA MASTATACIA.




Figure. SDS-PAGE

### [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.