# Recombinant Mucin 2 (MUC2) Instruction Manual

# SIPA675Ra01

#### Rattus norvegicus (Rat)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass66.7kDa

**Accurate Molecular Mass** 70kDa(Analysis of differences refer to the manual)

**Residues & Tags** Val33~Ala601 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

**Traits** Freeze-dried powder

Purity > 90% Isoelectric Point 4.9

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

### **SEQUENCE**

```
VCSTWGDF HYKTFDGDVF
RFPGLCDYNF ASDCRDSYKE FAVHLKRGLD KAGGHSSIES VLITIKDDTI
YLTHKLAVVN GAMVSTPHYS SGLLIEKNDA YTKVYSRAGL SLMWNREDAL
MVELDGRFQN HTCGLCGDFN GMQANNEFLS DGIRFSAIEF GNMQKINKPE
VVCEDPEEVQ EPESCSEHRA ECERLLTSTA FEDCQARVPV ELYVLACMHD
RCQCPQGGAC ECSTLAEFSR QCSHAGGRPE NWRTASLCPK KCPGNMVYLE
SGSPWLDTCS HLEVSSLCEE HYMDGCFCPE GTVYDDITGS GCIPVSQCHC
KLHGHLYMPG QEITNDCEQC VCNAGRWMCK DLPCPETCAL EGGSHITTFD
GKKFTFHGDC YYVLTKTKYN DSYALLGELA SCGSTDKQTC LKTVVLLTDN
KKNVVAFKSG GSVLLNEMEV SLPHVAASFS IFKPSSYHIV VNTMFGLRLQ
IQLVPVMQLF VTLDQSAQGQ VQGLCGNFNG LESDDFMTSG GMVEATGAGF
ANTWKAQSSC HDKLDWLDDP CPLNIESANY AEHWCSLLKR SETPFARCHL
```

#### **USAGE**

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

#### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

#### **Image**

Sympolicity in a superior superior contraction of the superior of the superior




Figure. SDS-PAGE

## [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.