# Recombinant Cyclin D3 (CCND3) Instruction Manual

## SIPA818Mu01

#### Mus musculus (Mouse)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Nucleus
Predicted Molecular Mass	36.1kDa
Accurate Molecular Mass	36kDa(Analysis of differences refer to the manual)
Residues & Tags	Met1~Leu292 with N-terminal His Tag
<b>Buffer Formulation</b>	20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.
Traits	Freeze-dried powder
Purity	> 90%
Isoelectric Point	6.5
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

#### SEQUENCE

MELLCCEGTR HAPRAGPDPR LLGDQRVLQS LLRLEERYVP RASYFQCVQK EIKPHMRKML AYWMLEVCEE QRCEEDVFPL AMNYLDRYLS CVPTRKAQLQ LLGTVCLLLA SKLRETTPLT IEKLCIYTDQ AVAPWQLREW EVLVLGKLKW DLAAVIAHDF LALILHRLSL PSDRQALVKK HAQTFLALCA TDYTFAMYPP SMIATGSIGA AVLGLGACSM SADELTELLA GITGTEVDCL RACQEQIEAA LRESLREAAQ TAPSPVPKAP RGSSSQGPSQ TSTPTDVTAI HL

#### USAGE


Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at - 80°C for 12 months.

#### STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



Image

Figure. SDS-PAGE

### [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.