# **Recombinant Hexokinase 1 (HK1) Instruction Manual**

## SIPA885Hu01

## Homo sapiens (Human)

Source Prokaryotic expression

Host E.coli

**Endotoxin Level** <1.0EU per 1µg (determined by the LAL method)

**Subcellular Location** Mitochondrion

**Predicted Molecular Mass** 16.5kDa

**Accurate Molecular Mass** 17kDa(Analysis of differences refer to the manual)

**Residues & Tags** Phe80~Met215 with N-terminal His Tag

20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA, **Buffer Formulation** 

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

**Traits** Freeze-dried powder

> 90% **Purity Isoelectric Point** 7.2

Positive Control; Immunogen; SDS-PAGE; WB. **Applications** 

## **SEQUENCE**

F IALDLGGSSF RILRVOVNHE

KNONVHMESE VYDTPENIVH GSGSQLFDHV AECLGDFMEK RKIKDKKLPV GFTFSFPCQQ SKIDEAILIT WTKRFKASGV EGADVVKLLN KAIKKRGDYD

ANIVAVVNDT VGTMM

#### **USAGE**

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

## **Image**




Figure. SDS-PAGE

## [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.