Recombinant Complement Factor P (CFP) Instruction Manual

SIPA887Mu03

Mus musculus (Mouse)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass51.6kDa

Accurate Molecular Mass 52kDa(Analysis of differences refer to the manual)

Residues & Tags Ser23~Pro464 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 80% Isoelectric Point 7.9

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

		SDPVLCFT	QYEESSGRCK	GLLGRDIRVE	
DCCLNAAYAF	QEHDGGLCQA	CRSPQWSAWS	LWGPCSVTCS	EGSQLRHRRC	
VGRGGQCSEN	VAPGTLEWQL	QACEDQPCCP	EMGGWSEWGP	WGPCSVTCSK	
GTQIRQRVCD	NPAPKCGGHC	PGEAQQSQAC	DTQKTCPTHG	AWASWGPWSP	
CSGSCLGGAQ	EPKETRSRSC	SAPAPSHQPP	GKPCSGPAYE	HKACSGLPPC	
PVAGGWGPWS	PLSPCSVTCG	LGQTLEQRTC	DHPAPRHGGP	FCAGDATRNQ	
MCNKAVPCPV	NGEWEAWGKW	SDCSRLRMSI	NCEGTPGQQS	RSRSCGGRKF	
NGKPCAGKLQ	DIRHCYNIHN	CIMKGSWSQW	STWSLCTPPC	SPNATRVRQR	
LCTPLLPKYP	PTVSMVEGQG	EKNVTFWGTP	RPLCEALQGQ	KLVVEEKRSC	
LHVPVCKDPF	FKKP				

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.