# **Recombinant Ficolin 1 (FCN1) Instruction Manual**

# SIPA888Hu01

## Homo sapiens (Human)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass25.7kDa

Accurate Molecular Mass 27kDa(Analysis of differences refer to the manual)

**Residues & Tags** Asp45~Thr249 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

DILL TTI

**Traits** Freeze-dried powder

Purity > 95% Isoelectric Point 7.1

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

## **SEQUENCE**

|                   |            |            |            | DKLIIL            |
|-------------------|------------|------------|------------|-------------------|
| RGCPGLPGAP        | GPKGEAGVIG | ERGERGLPGA | PGKAGPVGPK | <b>GDRGEKGMRG</b> |
| <b>EKGDAGQSQS</b> | CATGPRNCKD | LLDRGYFLSG | WHTIYLPDCR | PLTVLCDMDT        |
| DGGGWTVFQR        | RMDGSVDFYR | DWAAYKQGFG | SQLGEFWLGN | DNIHALTAQG        |
| SSELRVDLVD        | FEGNHQFAKY | KSFKVADEAE | KYKLVLGAFV | GGSAGNSLT         |

#### **USAGE**


Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

#### **STORAGE**

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

#### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.



## [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.