

Recombinant Placental Cadherin (P-cadherin) Instruction Manual

SIPB008Hu01

Homo sapiens (Human)

Source	Prokaryotic expression
Host	E.coli
Endotoxin Level	<1.0EU per 1µg (determined by the LAL method)
Subcellular Location	Membrane
Predicted Molecular Mass	33.2kDa
Accurate Molecular Mass	42kDa(Analysis of differences refer to the manual)
Residues & Tags	Gly371~Leu660 with N-terminal His Tag
Buffer Formulation	PBS, pH7.4, containing 0.01% SKL, 5% Trehalose.
Traits	Freeze-dried powder
Purity	> 97%
Isoelectric Point	4.8
Applications	Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

```
                GDDGDHFTIT THPESNQGIL TTRKGLDFEA
KNQHTLYVEV TNEAPFVLKL PTSTATIVVH VEDVNEAPVF VPPSKVVEVQ
EGIPTGEPVC VYTAEDPDKE NQKISYRILR DPAGWLAMP DSGQVTAVGT
LDREDEQFVR NNIYEVMLA MDNGSPPTTG TGTLLLTLID VNDHGPVPEP
RQITICNQSP VRQVLNITDK DLSPHTSPFQ AQLTDDSDIY WTAEVNEEGD
TVVLSLKKFL KQD TYDVHLS LSDHGNKEQL TVIRATV CDC HGHVETCPGP
WKGGFILPVL
```

USAGE

Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.