Recombinant Beta Catenin (β-catenin) Instruction Manual

SIPB010Mu01

Mus musculus (Mouse)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular Location Membrane, Nucleus, Cytoplasm

Predicted Molecular Mass 29.1kDa

Accurate Molecular Mass 33kDa(Analysis of differences refer to the manual)

Residues & Tags Lys508~Leu762 with N-terminal His Tag

100mMNaHCO₃, 500mMNaCl, pH8.3, containing 1mM

Buffer Formulation EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and

Proclin300.

Traits Freeze-dried powder

Purity > 97% Isoelectric Point 5.5

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

KAT VGLIRNLALC PANHAPLREQ GAIPRLVQLL VRAHQDTQRR
TSMGGTQQQF VEGVRMEEIV EGCTGALHIL ARDVHNRIVI RGLNTIPLFV
QLLYSPIENI QRVAAGVLCE LAQDKEAAEA IEAEGATAPL TELLHSRNEG
VATYAAAVLF RMSEDKPQDY KKRLSVELTS SLFRTEPMAW NETADLGLDI
GAQGEALGYR QDDPSYRSFH SGGYGQDALG MDPMMEHEMG GHHPGADYPV
DGLPDLGHAQ DL

USAGE

Reconstitute in ddH₂O to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.