Recombinant Nucleoporin 85 (NUP85) Instruction Manual

SIPB071Mu01

Mus musculus (Mouse)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular Location Nucleus, Cytoplasm, Chromosome

Predicted Molecular Mass 30.8kDa

Accurate Molecular Mass 28kDa(Analysis of differences refer to the manual)

Residues & Tags Gln418~Leu653 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 90% Isoelectric Point 6.8

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

QLG VDYFDYCPEL GRVSLELHIE RIPLNTEQKA LKVLRICEQR QMTEQVKSIC KILAMKAVRN NRLGSALSWS IRAKDAAFAT LVSDRFLRDY CERGCFSDLD LIDNLGSAMM LSDRLTFLGK YREFHRLYGE KRFGDAASLL LSLMTSQIAP RSFWMTLLTD ALPLLEQKQV IFSAEQTYEL MRCLEDLASG RPECGEPDAQ RLQDDDIETT KVEMLRLALA RNLARAIIRE GSL

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE


Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image

BATTIC TOUGHA BUTTATO TOUGO, BOUGGITT TECCTOAT FOR BATT TAXAGO CAGO TRACT EQUATORISCON CATA TO ACTIVICA TRACT TAXAT TRUTAGA THI MATTE TAXAT TAXAT TAXAT TRUTAGA THI MATTE TAXAT TA



SDS-PAGE Image

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.