# Recombinant Lymphocyte Antigen 75 (LY75) Instruction Manual

# SIPB152Mu01

## Mus musculus (Mouse)

**Source** Prokaryotic expression

**Host** E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationMembranePredicted Molecular Mass35.9kDa

Accurate Molecular Mass 36kDa(Analysis of differences refer to the manual)

**Residues & Tags** Cys216~Pro503 with N-terminal His Tag

**Buffer Formulation** 20mM Tris, 150mM NaCl, pH8.0, containing 0.01% SKL,

5% Trehalose.

**Traits** Freeze-dried powder

Purity > 90% Isoelectric Point 6.1

**Applications** Positive Control; Immunogen; SDS-PAGE; WB.

# **SEQUENCE**

	CEGNW EKNEQ	IGSCY QFNNQEI	LSW KEAYVSCQNQ
GADLLSIHSA AEL	AYITGKE DIARL	VWLGL NQLYSAR	GWE WSDFRPLKFL
NWDPGTPVAP VIG	GSSCARM DTESG	LWQSV SCESQQP	YVC KKPLNNTLEL
PDVWTYTDTH CHV	GWLPNNG FCYLL	ANESS SWDAAHL	KCK AFGADLISMH
SLADVEVVVT KLHI	NGDVKKE IWTGL	KNTNS PALFQWS	DGT EVTLTYWNEN
EPSVPFNKTP NCV	SYLGKLG QWKVQ	SCEKK LRYVCKK	KGE ITKDAESDKL
CPP			

### **USAGE**

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

### **STORAGE**


Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

### **STABILITY**

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### **Image**

INTERNOS MATROCAMAGNO AS PROGRAMMENTA CANTINIDADO SE ANTICISTICO CANCERTA CONTRACTOR ANTICIS CANTINICO CONTRACTOR CONTRAC



# [IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.