Recombinant Cluster Of Differentiation 5 (CD5) Instruction Manual

SIPB180Ra01

Rattus norvegicus (Rat)

Source Prokaryotic expression

Host E.coli

Endotoxin Level <1.0EU per 1µg (determined by the LAL method)

Subcellular LocationSecretedPredicted Molecular Mass40.7kDa

Accurate Molecular Mass 43kDa(Analysis of differences refer to the manual)

Residues & Tags Ser25~Pro368 with N-terminal His Tag

Buffer Formulation 20mM Tris, 150mM NaCl, pH8.0, containing 1mM EDTA,

1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Traits Freeze-dried powder

Purity > 90% Isoelectric Point 8.0

Applications Positive Control; Immunogen; SDS-PAGE; WB.

SEQUENCE

		SGRGFV	GAQVMLSGSN	SKCQGLVEVQ
MNGMKTVCSS	SWRLSQDLWK	NANEASTVCQ	QLGCGNPLAL	GHLTLWNRPK
NQILCQGPPW	SFSNCSTSSL	GQCLPLSLVC	LEPQKTTPLP	TTTLPTTMPE
PTAPPRLQLV	PGHEGLRCTG	VVEFYNGSRG	GTILYKAKAR	PVDLGNLICK
SLQCGSFLTH	LSRIETAGTP	APAELRDPRP	LPIRWEAQNG	SCTSLQQCFQ
KTTVQEGSQA	LAVVCSDFQP	KVQSRLVGGS	SVCEGIAEVR	QRSQWAALCD
SSAARGPGRW	EELCQEQQCG	NLISFHVMDA	DRTSPGVLCT	QEKLSQCYQL
QKKTHCKRVF	ITCKDPNP			

USAGE

Reconstitute in 20mM Tris, 150mM NaCl (pH8.0) to a concentration of 0.1-1.0 mg/mL. Do not vortex.

STORAGE

Avoid repeated freeze/thaw cycles. Store at 2-8°C for one month. Aliquot and store at -80°C for 12 months.

STABILITY

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

Image




Figure. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.